



## Safety Data Sheet according to Regulation (EC) No 1907/2006

Page 1 of 16

SDS No. : 209260  
V004.1

Loctite Super Glue Liquid

Revision: 20.03.2019  
printing date: 22.05.2019  
Replaces version from: 13.01.2016

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Loctite Super Glue Liquid

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Intended use:

Super glue

ua-productsafety.uk@henkel.com

#### 1.4. Emergency telephone number

24 Hours Emergency Tel: +44 0 8701 906777 - For further general health & safety, technical and practical advice on this product, please call +44 (0) 1606 593933 or write to: Technical Services; Henkel Limited; Road 5; Winsford Industrial Estate; Winsford; Cheshire; CW7 3QY- Email: technical.services@henkel.co.uk

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Classification (CLP):

Skin irritation

Category 2

H315 Causes skin irritation.

Serious eye irritation

Category 2

H319 Causes serious eye irritation.

Specific target organ toxicity - single exposure

Category 3

H335 May cause respiratory irritation.

Target organ: respiratory tract irritation

#### 2.2. Label elements

##### Label elements (CLP):

##### Hazard pictogram:



##### Contains

Ethyl 2-cyanoacrylate

##### Signal word:

Warning

##### Hazard statement:

H315 Causes skin irritation.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

|                                                    |                                                                                                                                                                                                                                              |
|----------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Supplemental information</b>                    | EUH202 Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.                                                                                                                                             |
| <b>Precautionary statement:</b>                    | P261 Avoid breathing vapors.<br>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.<br>P302+P352 IF ON SKIN: Wash with plenty of soap and water. |
| <b>Precautionary statement:</b><br><b>Disposal</b> | P501 Dispose of contents/container in accordance with national regulation.                                                                                                                                                                   |

### 2.3. Other hazards

Persons suffering from allergic reactions to acrylates should avoid contact with the product.

Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria.

## SECTION 3: Composition/information on ingredients

### 3.2. Mixtures

#### General chemical description:

Cyanoacrylate Adhesive

#### Base substances of preparation:

Cyanoacrylate

#### Declaration of the ingredients according to CLP (EC) No 1272/2008:

| Hazardous components<br>CAS-No.                               | EC Number<br>REACH-Reg No.    | content       | Classification                                                                                                                                                                                           |
|---------------------------------------------------------------|-------------------------------|---------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Ethyl 2-cyanoacrylate<br>7085-85-0                            | 230-391-5<br>01-2119527766-29 | 60- < 100 %   | Eye Irrit. 2<br>H319<br>STOT SE 3<br>H335<br>Skin Irrit. 2<br>H315                                                                                                                                       |
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | 204-327-1<br>01-2119496065-33 | 0,1- < 1 %    | Repr. 2<br>H361                                                                                                                                                                                          |
| Hydroquinone<br>123-31-9                                      | 204-617-8<br>01-2119524016-51 | 0,01- < 0,1 % | Aquatic Acute 1<br>H400<br>Aquatic Chronic 1<br>H410<br>Carc. 2<br>H351<br>Muta. 2<br>H341<br>Acute Tox. 4; Oral<br>H302<br>Eye Dam. 1<br>H318<br>Skin Sens. 1<br>H317<br>M factor (Acute Aquat Tox): 10 |

For full text of the H - statements and other abbreviations see section 16 "Other information".

Substances without classification may have community workplace exposure limits available.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### General information:

In case of adverse health effects seek medical advice.

#### Inhalation:

Move to fresh air, consult doctor if complaint persists.

**Skin contact:**

Do not pull bonded skin apart. It may be gently peeled apart using a blunt object such as a spoon, preferably after soaking in warm soapy water.

Cyanoacrylates give off heat on solidification. In rare cases a large drop will generate enough heat to cause a burn.

Burns should be treated normally after the adhesive has been removed from the skin.

If lips are accidentally stuck together apply warm water to the lips and encourage maximum wetting and pressure from saliva inside the mouth.

Peel or roll lips apart. Do not try to pull the lips apart with direct opposing action.

**Eye contact:**

If the eye is bonded closed, release eyelashes with warm water by covering with wet pad.

Cyanoacrylate will bond to eye protein and will cause periods of weeping which will help to debond the adhesive.

Keep eye covered until debonding is complete, usually within 1-3 days.

Do not force eye open. Medical advice should be sought in case solid particles of cyanoacrylate trapped behind the eyelid cause any abrasive damage.

**Ingestion:**

Ensure that breathing passages are not obstructed. The product will polymerise immediately in the mouth making it almost impossible to swallow. Saliva will slowly separate the solidified product from the mouth (several hours).

**4.2. Most important symptoms and effects, both acute and delayed**

SKIN: Redness, inflammation.

RESPIRATORY: Irritation, coughing, shortness of breath, chest tightness.

Causes serious eye irritation.

**4.3. Indication of any immediate medical attention and special treatment needed**

See section: Description of first aid measures

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media:**

carbon dioxide, foam, powder, water spray jet, fine water spray

**Extinguishing media which must not be used for safety reasons:**

High pressure waterjet

**5.2. Special hazards arising from the substance or mixture**

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO<sub>2</sub>) can be released.

**5.3. Advice for firefighters**

Wear protective equipment.

Wear self-contained breathing apparatus.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Wear protective equipment.

Danger of slipping on spilled product.

Ensure adequate ventilation.

Avoid contact with skin and eyes.

**6.2. Environmental precautions**

Do not empty into drains / surface water / ground water.

**6.3. Methods and material for containment and cleaning up**

Remove with liquid-absorbing material (sand, peat, sawdust).

Dispose of contaminated material as waste according to Section 13.

**6.4. Reference to other sections**

See advice in section 8

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Open and handle container with care.  
Ensure that workrooms are adequately ventilated.  
Avoid skin and eye contact.

#### Hygiene measures:

Do not eat, drink or smoke while working.  
Wash hands before work breaks and after finishing work.

### 7.2. Conditions for safe storage, including any incompatibilities

Ensure good ventilation/extraction.

For optimum shelf life store in original containers under refrigerated conditions at 2 - 8°C (35.6 - 46.4 °F)

Store in a cool place, max. storage temperature 30°C.

Store in a dry place.

Keep container tightly sealed and store in a frost free place.

Do not store together with food or other consumables (coffee, tea, tobacco, etc.).

### 7.3. Specific end use(s)

Super glue

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational Exposure Limits

Valid for  
Great Britain

| Ingredient [Regulated substance]                            | ppm | mg/m <sup>3</sup> | Value type                        | Short term exposure limit category / Remarks | Regulatory list |
|-------------------------------------------------------------|-----|-------------------|-----------------------------------|----------------------------------------------|-----------------|
| Ethyl 2-cyanoacrylate<br>7085-85-0<br>[ETHYL CYANOACRYLATE] | 0,3 | 1,5               | Short Term Exposure Limit (STEL): |                                              | EH40 WEL        |
| Hydroquinone<br>123-31-9<br>[HYDROQUINONE]                  |     | 0,5               | Time Weighted Average (TWA):      |                                              | EH40 WEL        |

#### Occupational Exposure Limits

Valid for  
Ireland

| Ingredient [Regulated substance]                            | ppm | mg/m <sup>3</sup> | Value type                   | Short term exposure limit category / Remarks | Regulatory list |
|-------------------------------------------------------------|-----|-------------------|------------------------------|----------------------------------------------|-----------------|
| Ethyl 2-cyanoacrylate<br>7085-85-0<br>[ETHYL CYANOACRYLATE] | 0,2 |                   | Time Weighted Average (TWA): |                                              | IR_OEL          |
| Hydroquinone<br>123-31-9<br>[HYDROQUINONE]                  |     | 0,5               | Time Weighted Average (TWA): |                                              | IR_OEL          |

**Predicted No-Effect Concentration (PNEC):**

| Name on list                                             | Environmental<br>Compartment       | Exposure<br>period | Value            |     |                  |        | Remarks |
|----------------------------------------------------------|------------------------------------|--------------------|------------------|-----|------------------|--------|---------|
|                                                          |                                    |                    | mg/l             | ppm | mg/kg            | others |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | aqua<br>(freshwater)               |                    | 0,0068<br>mg/l   |     |                  |        |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | aqua (marine<br>water)             |                    | 0,00068<br>mg/l  |     |                  |        |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | aqua<br>(intermittent<br>releases) |                    | 0,048 mg/l       |     |                  |        |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | sewage<br>treatment plant<br>(STP) |                    | 100 mg/l         |     |                  |        |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | sediment<br>(freshwater)           |                    |                  |     | 102 mg/kg        |        |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | sediment<br>(marine water)         |                    |                  |     | 10,2 mg/kg       |        |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | Soil                               |                    |                  |     | 20,4 mg/kg       |        |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | oral                               |                    |                  |     | 10 mg/kg         |        |         |
| Hydroquinone<br>123-31-9                                 | aqua<br>(freshwater)               |                    | 0,00057<br>mg/l  |     |                  |        |         |
| Hydroquinone<br>123-31-9                                 | aqua (marine<br>water)             |                    | 0,000057<br>mg/l |     |                  |        |         |
| Hydroquinone<br>123-31-9                                 | sediment<br>(freshwater)           |                    |                  |     | 0,0049<br>mg/kg  |        |         |
| Hydroquinone<br>123-31-9                                 | sediment<br>(marine water)         |                    |                  |     | 0,00049<br>mg/kg |        |         |
| Hydroquinone<br>123-31-9                                 | aqua<br>(intermittent<br>releases) |                    | 0,00134<br>mg/l  |     |                  |        |         |
| Hydroquinone<br>123-31-9                                 | Soil                               |                    |                  |     | 0,00064<br>mg/kg |        |         |
| Hydroquinone<br>123-31-9                                 | sewage<br>treatment plant<br>(STP) |                    | 0,71 mg/l        |     |                  |        |         |

**Derived No-Effect Level (DNEL):**

| Name on list                                             | Application Area   | Route of Exposure | Health Effect                                | Exposure Time | Value                  | Remarks |
|----------------------------------------------------------|--------------------|-------------------|----------------------------------------------|---------------|------------------------|---------|
| Ethyl 2-cyanoacrylate<br>7085-85-0                       | Workers            | Inhalation        | Long term exposure - local effects           |               | 9,25 mg/m <sup>3</sup> |         |
| Ethyl 2-cyanoacrylate<br>7085-85-0                       | Workers            | Inhalation        | Long term exposure - systemic effects        |               | 9,25 mg/m <sup>3</sup> |         |
| Ethyl 2-cyanoacrylate<br>7085-85-0                       | General population | Inhalation        | Long term exposure - local effects           |               | 9,25 mg/m <sup>3</sup> |         |
| Ethyl 2-cyanoacrylate<br>7085-85-0                       | General population | Inhalation        | Long term exposure - systemic effects        |               | 9,25 mg/m <sup>3</sup> |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | Workers            | dermal            | Acute/short term exposure - systemic effects |               | 3,175 mg/kg            |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | Workers            | Inhalation        | Acute/short term exposure - systemic effects |               | 22,4 mg/m <sup>3</sup> |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | Workers            | dermal            | Long term exposure - systemic effects        |               | 0,635 mg/kg            |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | Workers            | Inhalation        | Long term exposure - systemic effects        |               | 4,48 mg/m <sup>3</sup> |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | General population | dermal            | Acute/short term exposure - systemic effects |               | 1,59 mg/kg             |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | General population | Inhalation        | Acute/short term exposure - systemic effects |               | 5,5 mg/m <sup>3</sup>  |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | General population | oral              | Acute/short term exposure - systemic effects |               | 1,59 mg/kg             |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | General population | dermal            | Long term exposure - systemic effects        |               | 0,318 mg/kg            |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | General population | Inhalation        | Long term exposure - systemic effects        |               | 1,1 mg/m <sup>3</sup>  |         |
| 6,6'-di-tert-Butyl-2,2'-methylenedi-p-cresol<br>119-47-1 | General population | oral              | Long term exposure - systemic effects        |               | 0,318 mg/kg            |         |
| Hydroquinone<br>123-31-9                                 | Workers            | dermal            | Long term exposure - systemic effects        |               | 3,33 mg/kg             |         |
| Hydroquinone<br>123-31-9                                 | Workers            | inhalation        | Long term exposure - systemic effects        |               | 2,1 mg/m <sup>3</sup>  |         |
| Hydroquinone<br>123-31-9                                 | General population | dermal            | Long term exposure - systemic effects        |               | 1,66 mg/kg             |         |
| Hydroquinone<br>123-31-9                                 | General population | inhalation        | Long term exposure - systemic effects        |               | 1,05 mg/m <sup>3</sup> |         |
| Hydroquinone<br>123-31-9                                 | General population | oral              | Long term exposure - systemic effects        |               | 0,6 mg/kg              |         |

**Biological Exposure Indices:**

None

**8.2. Exposure controls:**

Respiratory protection:

Suitable breathing mask when there is inadequate ventilation.

Combination filter: ABEKP (EN 14387)

This recommendation should be matched to local conditions.

**Hand protection:**

Recommended are gloves made from Nitril rubber ( Material thickness >0,1 mm, Perforation time < 30s).Gloves should be replaced after each short time contact or contamination. Available at laboratory specialized trade or at pharmacies / chemist's shops.

In the case of longer contact protective gloves made from nitrile rubber are recommended according to EN 374.

material thickness > 0.4 mm

Perforation time > 30 minutes

In the case of longer and repeated contact please note that in practice the penetration times may be considerably shorter than those determined according to EN 374. The protective gloves must always be checked for their suitability for use at the specific workplace (e.g. mechanical and thermal stress, product compatibility, antistatic effects, etc.). The gloves must be replaced immediately at the first signs of wear and tear. The information provided by the manufacturers and given in the relevant trade association regulations for industrial safety must always be observed. We recommend that a hand care plan is drawn up in cooperation with a glove manufacturer and the trade association in accordance with the local operating conditions.

**Eye protection:**

Goggles which can be tightly sealed.

Protective eye equipment should conform to EN166.

**Skin protection:**

Suitable protective clothing

Protective clothing should conform to EN 14605 for liquid splashes or to EN 13982 for dusts.

**Advices to personal protection equipment:**

The information provided on personal protective equipment is for guidance purposes only. A full risk assessment should be conducted prior to using this product to determine the appropriate personal protective equipment to suit local conditions.

Personal protective equipment should conform to the relevant EN standard.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

|                                                             |                                    |
|-------------------------------------------------------------|------------------------------------|
| Appearance                                                  | liquid<br>transparent<br>Straw     |
| Odour threshold                                             | No data available / Not applicable |
| pH                                                          | No data available / Not applicable |
| Melting point                                               | No data available / Not applicable |
| Solidification temperature                                  | No data available / Not applicable |
| Initial boiling point                                       | No data available / Not applicable |
| Flash point                                                 | 80 - 93 °C (176 - 199.4 °F)        |
| Evaporation rate                                            | No data available / Not applicable |
| Flammability                                                | No data available / Not applicable |
| Explosive limits                                            | No data available / Not applicable |
| Vapour pressure                                             | No data available / Not applicable |
| Relative vapour density:                                    | No data available / Not applicable |
| Density<br>(20 °C (68 °F))                                  | 1,05 g/cm <sup>3</sup>             |
| Bulk density                                                | No data available / Not applicable |
| Solubility                                                  | No data available / Not applicable |
| Solubility (qualitative)<br>(20 °C (68 °F); Solvent: Water) | Insoluble                          |
| Solubility (qualitative)<br>(Solvent: Acetone)              | Soluble                            |
| Partition coefficient: n-octanol/water                      | No data available / Not applicable |
| Auto-ignition temperature                                   | No data available / Not applicable |
| Decomposition temperature                                   | No data available / Not applicable |
| Viscosity<br>(; 40 °C (104 °F))                             | 30,0 - 50,0 mPa.s                  |
| Viscosity (kinematic)                                       | No data available / Not applicable |
| Explosive properties                                        | No data available / Not applicable |
| Oxidising properties                                        | No data available / Not applicable |

**9.2. Other information**

No data available / Not applicable

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

Rapid exothermic polymerization will occur in the presence of water, amines, alkalis and alcohols.

### 10.2. Chemical stability

Stable under recommended storage conditions.

### 10.3. Possibility of hazardous reactions

See section reactivity

### 10.4. Conditions to avoid

None if used for intended purpose.

### 10.5. Incompatible materials

See section reactivity.

### 10.6. Hazardous decomposition products

None known.

## SECTION 11: Toxicological information

### General toxicological information:

Persons suffering from allergic reactions to acrylates should avoid contact with the product.

### 11.1. Information on toxicological effects

#### Acute oral toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                               | Value<br>type | Value          | Species | Method                                   |
|---------------------------------------------------------------|---------------|----------------|---------|------------------------------------------|
| Ethyl 2-cyanoacrylate<br>7085-85-0                            | LD50          | > 5.000 mg/kg  | rat     | OECD Guideline 401 (Acute Oral Toxicity) |
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | LD50          | > 10.000 mg/kg | rat     | not specified                            |
| Hydroquinone<br>123-31-9                                      | LD50          | 367 mg/kg      | rat     | OECD Guideline 401 (Acute Oral Toxicity) |

#### Acute dermal toxicity:

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                               | Value<br>type | Value          | Species | Method                                     |
|---------------------------------------------------------------|---------------|----------------|---------|--------------------------------------------|
| Ethyl 2-cyanoacrylate<br>7085-85-0                            | LD50          | > 2.000 mg/kg  | rabbit  | OECD Guideline 402 (Acute Dermal Toxicity) |
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | LD50          | > 10.000 mg/kg | rat     | not specified                              |
| Hydroquinone<br>123-31-9                                      | LD50          | > 2.000 mg/kg  | rabbit  | OECD Guideline 402 (Acute Dermal Toxicity) |

**Acute inhalative toxicity:**

No data available.

**Skin corrosion/irritation:**

Bonds skin in seconds. Considered to be of low toxicity: acute dermal LD50 (rabbit)>2000mg/kg  
Due to polymerisation at the skin surface allergic reaction is unlikely to occur

| Hazardous substances<br>CAS-No.    | Result                 | Exposure<br>time | Species | Method                                                   |
|------------------------------------|------------------------|------------------|---------|----------------------------------------------------------|
| Ethyl 2-cyanoacrylate<br>7085-85-0 | slightly<br>irritating | 24 h             | rabbit  | OECD Guideline 404 (Acute Dermal Irritation / Corrosion) |
| Hydroquinone<br>123-31-9           | not irritating         | 24 h             | rabbit  | Weight of evidence                                       |

**Serious eye damage/irritation:**

Liquid product will bond eyelids. In a dry atmosphere (RH<50%) vapours may cause irritation and lachrymatory effect

| Hazardous substances<br>CAS-No.    | Result     | Exposure<br>time | Species | Method                                                |
|------------------------------------|------------|------------------|---------|-------------------------------------------------------|
| Ethyl 2-cyanoacrylate<br>7085-85-0 | irritating | 72 h             | rabbit  | OECD Guideline 405 (Acute Eye Irritation / Corrosion) |

**Respiratory or skin sensitization:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.    | Result          | Test type                             | Species    | Method                                                                                         |
|------------------------------------|-----------------|---------------------------------------|------------|------------------------------------------------------------------------------------------------|
| Ethyl 2-cyanoacrylate<br>7085-85-0 | not sensitising |                                       | guinea pig | not specified                                                                                  |
| Hydroquinone<br>123-31-9           | sensitising     | Guinea pig maximisation<br>test       | guinea pig | equivalent or similar to OECD Guideline<br>406 (Skin Sensitisation)                            |
| Hydroquinone<br>123-31-9           | sensitising     | Mouse local lymphnode<br>assay (LLNA) | mouse      | equivalent or similar to OECD Guideline<br>429 (Skin Sensitisation: Local Lymph<br>Node Assay) |

**Germ cell mutagenicity:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances CAS-No.                               | Result   | Type of study / Route of administration          | Metabolic activation / Exposure time | Species | Method                                                                                            |
|------------------------------------------------------------|----------|--------------------------------------------------|--------------------------------------|---------|---------------------------------------------------------------------------------------------------|
| Ethyl 2-cyanoacrylate 7085-85-0                            | negative | bacterial reverse mutation assay (e.g Ames test) |                                      |         | OECD Guideline 471 (Bacterial Reverse Mutation Assay)                                             |
| Ethyl 2-cyanoacrylate 7085-85-0                            | negative | mammalian cell gene mutation assay               | with and without                     |         | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)                                   |
| Ethyl 2-cyanoacrylate 7085-85-0                            | negative | in vitro mammalian chromosome aberration test    | with and without                     |         | OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)                                |
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane 119-47-1 | negative | bacterial reverse mutation assay (e.g Ames test) | with and without                     |         | OECD Guideline 471 (Bacterial Reverse Mutation Assay)                                             |
| Hydroquinone 123-31-9                                      | negative | bacterial reverse mutation assay (e.g Ames test) | with and without                     |         | equivalent or similar to OECD Guideline 471 (Bacterial Reverse Mutation Assay)                    |
| Hydroquinone 123-31-9                                      | negative | in vitro mammalian chromosome aberration test    | with and without                     |         | OECD Guideline 473 (In vitro Mammalian Chromosome Aberration Test)                                |
| Hydroquinone 123-31-9                                      | positive | mammalian cell gene mutation assay               | with and without                     |         | OECD Guideline 476 (In vitro Mammalian Cell Gene Mutation Test)                                   |
| Hydroquinone 123-31-9                                      | positive | intraperitoneal                                  |                                      | mouse   | equivalent or similar to OECD Guideline 474 (Mammalian Erythrocyte Micronucleus Test)             |
| Hydroquinone 123-31-9                                      | negative | oral: gavage                                     |                                      | rat     | equivalent or similar to OECD Guideline 478 (Genetic Toxicology: Rodent Dominant Lethal Test)     |
| Hydroquinone 123-31-9                                      | positive | intraperitoneal                                  |                                      | mouse   | equivalent or similar to OECD Guideline 483 (Mammalian Spermatogonial Chromosome Aberration Test) |

**Carcinogenicity**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous components CAS-No. | Result       | Route of application | Exposure time / Frequency of treatment | Species | Sex         | Method                                                                                         |
|------------------------------|--------------|----------------------|----------------------------------------|---------|-------------|------------------------------------------------------------------------------------------------|
| Hydroquinone 123-31-9        | carcinogenic | oral: gavage         | 103 w<br>5 d/w                         | rat     | male/female | equivalent or similar OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) |
| Hydroquinone 123-31-9        | carcinogenic | oral: gavage         | 103 w<br>5 d/w                         | mouse   | female      | equivalent or similar OECD Guideline 453 (Combined Chronic Toxicity / Carcinogenicity Studies) |

**Reproductive toxicity:**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                               | Result / Value                                               | Test type                  | Route of<br>application | Species | Method                                                                             |
|---------------------------------------------------------------|--------------------------------------------------------------|----------------------------|-------------------------|---------|------------------------------------------------------------------------------------|
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | NOAEL P 12,5 mg/kg                                           | screening                  | oral: gavage            | rat     | OECD Guideline 421<br>(Reproduction /<br>Developmental Toxicity<br>Screening Test) |
| Hydroquinone<br>123-31-9                                      | NOAEL P 15 mg/kg<br>NOAEL F1 150 mg/kg<br>NOAEL F2 150 mg/kg | Two<br>generation<br>study | oral: gavage            | rat     | EPA OTS 798.4700<br>(Reproduction and Fertility<br>Effects)                        |

**STOT-single exposure:**

No data available.

**STOT-repeated exposure::**

The mixture is classified based on threshold limits referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No. | Result / Value   | Route of<br>application | Exposure time /<br>Frequency of<br>treatment | Species | Method                                                                                          |
|---------------------------------|------------------|-------------------------|----------------------------------------------|---------|-------------------------------------------------------------------------------------------------|
| Hydroquinone<br>123-31-9        | NOAEL 50 mg/kg   | oral: gavage            | 13 w<br>5 d/w                                | rat     | not specified                                                                                   |
| Hydroquinone<br>123-31-9        | NOAEL 73,9 mg/kg | dermal                  | 13 w<br>6 h/d, 5 d/w                         | rat     | equivalent or similar to<br>OECD Guideline 411<br>(Subchronic Dermal<br>Toxicity: 90-Day Study) |

**Aspiration hazard:**

No data available.

## SECTION 12: Ecological information

### General ecological information:

Do not empty into drains, soil or bodies of water.

### 12.1. Toxicity

#### Toxicity (Fish):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                               | Value<br>type | Value      | Exposure time | Species             | Method                                         |
|---------------------------------------------------------------|---------------|------------|---------------|---------------------|------------------------------------------------|
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | LC50          |            |               | Oryzias latipes     | OECD Guideline 203 (Fish, Acute Toxicity Test) |
| Hydroquinone<br>123-31-9                                      | LC50          | 0,638 mg/l | 96 h          | Oncorhynchus mykiss | OECD Guideline 203 (Fish, Acute Toxicity Test) |

#### Toxicity (Daphnia):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                               | Value<br>type | Value      | Exposure time | Species       | Method                                                     |
|---------------------------------------------------------------|---------------|------------|---------------|---------------|------------------------------------------------------------|
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | EC50          |            | 48 h          | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |
| Hydroquinone<br>123-31-9                                      | EC50          | 0,134 mg/l | 48 h          | Daphnia magna | OECD Guideline 202 (Daphnia sp. Acute Immobilisation Test) |

#### Chronic toxicity to aquatic invertebrates

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                               | Value<br>type | Value       | Exposure time | Species       | Method                                      |
|---------------------------------------------------------------|---------------|-------------|---------------|---------------|---------------------------------------------|
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | NOEC          |             |               | Daphnia magna | OECD 211 (Daphnia magna, Reproduction Test) |
| Hydroquinone<br>123-31-9                                      | NOEC          | 0,0057 mg/l | 21 d          | Daphnia magna | OECD 211 (Daphnia magna, Reproduction Test) |

#### Toxicity (Algae):

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                               | Value<br>type | Value      | Exposure time | Species                                                                    | Method                                            |
|---------------------------------------------------------------|---------------|------------|---------------|----------------------------------------------------------------------------|---------------------------------------------------|
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | EC50          |            | 72 h          | Pseudokirchneriella subcapitata<br>(reported as Selenastrum capricornutum) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | NOEC          |            | 72 h          | Pseudokirchneriella subcapitata<br>(reported as Selenastrum capricornutum) | OECD Guideline 201 (Alga, Growth Inhibition Test) |
| Hydroquinone<br>123-31-9                                      | EC50          | 0,335 mg/l | 72 h          | Selenastrum capricornutum<br>(new name: Pseudokirchneriella subcapitata)   | OECD Guideline 201 (Alga, Growth Inhibition Test) |

#### Toxicity to microorganisms

The mixture is classified based on calculation method referring to the classified substances present in the mixture.

| Hazardous substances<br>CAS-No.                               | Value<br>type | Value         | Exposure time | Species | Method                                                                   |
|---------------------------------------------------------------|---------------|---------------|---------------|---------|--------------------------------------------------------------------------|
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | EC 50         | > 10.000 mg/l | 3 h           |         | OECD Guideline 209<br>(Activated Sludge,<br>Respiration Inhibition Test) |
| Hydroquinone<br>123-31-9                                      | EC 50         | 0,038 mg/l    | 30 min        |         | not specified                                                            |

#### 12.2. Persistence and degradability

| Hazardous substances<br>CAS-No.                               | Result                                           | Test type | Degradability | Exposure<br>time | Method                                                                             |
|---------------------------------------------------------------|--------------------------------------------------|-----------|---------------|------------------|------------------------------------------------------------------------------------|
| Ethyl 2-cyanoacrylate<br>7085-85-0                            | not readily biodegradable.                       | aerobic   | 57 %          | 28 d             | OECD Guideline 301 D (Ready Biodegradability: Closed Bottle Test)                  |
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | under test conditions no biodegradation observed | aerobic   | 0 %           | 28 d             | OECD Guideline 301 C (Ready Biodegradability: Modified MITI Test (I))              |
| Hydroquinone<br>123-31-9                                      | readily biodegradable                            | aerobic   | 75 - 81 %     | 30 d             | EU Method C.4-E (Determination of the "Ready" Biodegradability Closed Bottle Test) |

#### 12.3. Bioaccumulative potential

| Hazardous substances<br>CAS-No.                               | Bioconcentration factor (BCF) | Exposure time | Temperature | Species         | Method                                                            |
|---------------------------------------------------------------|-------------------------------|---------------|-------------|-----------------|-------------------------------------------------------------------|
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | 320 - 780                     | 60 d          |             | Cyprinus carpio | OECD Guideline 305 E<br>(Bioaccumulation: Flow-through Fish Test) |

#### 12.4. Mobility in soil

| Hazardous substances<br>CAS-No.                               | LogPow | Temperature | Method                                                                             |
|---------------------------------------------------------------|--------|-------------|------------------------------------------------------------------------------------|
| Ethyl 2-cyanoacrylate<br>7085-85-0                            | 0,776  | 22 °C       | EU Method A.8 (Partition Coefficient)                                              |
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | 6,25   | 20 °C       | OECD Guideline 107 (Partition Coefficient (n-octanol / water), Shake Flask Method) |
| Hydroquinone<br>123-31-9                                      | 0,59   |             | EU Method A.8 (Partition Coefficient)                                              |

#### 12.5. Results of PBT and vPvB assessment

| Hazardous substances<br>CAS-No.                               | PBT / vPvB                                                                                                            |
|---------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------|
| Ethyl 2-cyanoacrylate<br>7085-85-0                            | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |
| Bis(2-hydroxy-3-tert-butyl-5-methylphenyl)methane<br>119-47-1 | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |
| Hydroquinone<br>123-31-9                                      | Not fulfilling Persistent, Bioaccumulative and Toxic (PBT), very Persistent and very Bioaccumulative (vPvB) criteria. |

#### 12.6. Other adverse effects

No data available.

### SECTION 13: Disposal considerations

#### 13.1. Waste treatment methods

Product disposal:

Dispose of waste and residues in accordance with local authority requirements.

Disposal of uncleaned packages:

Use packages for recycling only when totally empty.

Waste code

080409

## SECTION 14: Transport information

**14.1. UN number**

|      |                     |
|------|---------------------|
| ADR  | Not dangerous goods |
| RID  | Not dangerous goods |
| ADN  | Not dangerous goods |
| IMDG | Not dangerous goods |
| IATA | 3334                |

**14.2. UN proper shipping name**

|      |                                                         |
|------|---------------------------------------------------------|
| ADR  | Not dangerous goods                                     |
| RID  | Not dangerous goods                                     |
| ADN  | Not dangerous goods                                     |
| IMDG | Not dangerous goods                                     |
| IATA | Aviation regulated liquid, n.o.s. (Cyanoacrylate ester) |

**14.3. Transport hazard class(es)**

|      |                     |
|------|---------------------|
| ADR  | Not dangerous goods |
| RID  | Not dangerous goods |
| ADN  | Not dangerous goods |
| IMDG | Not dangerous goods |
| IATA | 9                   |

**14.4. Packing group**

|      |                     |
|------|---------------------|
| ADR  | Not dangerous goods |
| RID  | Not dangerous goods |
| ADN  | Not dangerous goods |
| IMDG | Not dangerous goods |
| IATA | III                 |

**14.5. Environmental hazards**

|      |                |
|------|----------------|
| ADR  | not applicable |
| RID  | not applicable |
| ADN  | not applicable |
| IMDG | not applicable |
| IATA | not applicable |

**14.6. Special precautions for user**

|      |                                                          |
|------|----------------------------------------------------------|
| ADR  | not applicable                                           |
| RID  | not applicable                                           |
| ADN  | not applicable                                           |
| IMDG | not applicable                                           |
| IATA | Not more than 500 ml (each inner package) - Unrestricted |

**14.7. Transport in bulk according to Annex II of Marpol and the IBC Code**

not applicable

## SECTION 15: Regulatory information

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

VOC content 0,00 %  
 (VOCV 814.018 VOC regulation  
 CH)

**15.2. Chemical safety assessment**

A chemical safety assessment has been carried out.

**SECTION 16: Other information**

The labelling of the product is indicated in Section 2. The full text of all abbreviations indicated by codes in this safety data sheet are as follows:

- H302 Harmful if swallowed.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H341 Suspected of causing genetic defects.
- H351 Suspected of causing cancer.
- H361 Suspected of damaging fertility or the unborn child.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

**Further information:**

This Safety Data Sheet has been produced for sales from Henkel to parties purchasing from Henkel, is based on Regulation (EC) No 1907/2006 and provides information in accordance with applicable regulations of the European Union only. In that respect, no statement, warranty or representation of any kind is given as to compliance with any statutory laws or regulations of any other jurisdiction or territory other than the European Union. When exporting to territories other than the European Union, please consult with the respective Safety Data Sheet of the concerned territory to ensure compliance or liaise with Henkel's Product Safety and Regulatory Affairs Department (ua-productsafety.de@henkel.com) prior to export to other territories than the European Union.

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties.

**Relevant changes in this safety data sheet are indicated by vertical lines at the left margin in the body of this document. Corresponding text is displayed in a different color on shadowed fields.**

**Annex - Exposure Scenarios:**

Exposure Scenarios for ethyl 2-cyanoacrylate can be downloaded under the following link:  
[http://mysds.henkel.com/mysds/.470833..en.ANNEX\\_DE.15743123.0.DE.pdf](http://mysds.henkel.com/mysds/.470833..en.ANNEX_DE.15743123.0.DE.pdf)  
Alternatively they can be accessed on the internet site [www.mysds.henkel.com](http://www.mysds.henkel.com) by entering number 470833.